



SIWA[®]







SIWA[®] *To be safer and more valuable.*



Zhejiang World Safety Technology Co., Ltd.



Safety Storage Cabinet

Flammable Liquid Safety Storage Cabinet	Combustible Liquid Safety Storage Cabinet	Weakly Corrosive Liquid Safety Storage Cabinet	Toxic Chemicals Safety Storage Cabinet
			
Yellow safety storage cabinets are widely used to store flammable liquids. flash point < 37.8°C	Red safety storage cabinets are widely used to store coatings, oils or other combustible liquids. flash point > 37.8°C	Blue safety storage cabinets are widely used to store weak corrosive liquids.	White safety storage cabinets are widely used to store toxic chemicals.

Flammable Liquid Safety Storage Cabinet



Model: SC8901200
Size: 89*59*46cm
Capacity: 12Gallon



Model: SC8903000
Size: 112*109*46cm
Capacity: 30Gallon



Model: SC8904500
Size: 165*109*46cm
Capacity: 45Gallon

Flammable Liquid Safety Storage Cabinet									
Model	SC8900400	SC8901000	SC8901200	SC8902200	SC8903000	SC8904500	SC8905400	SC8906000	SC8909000
Volume Gallon/Liter	4/15	10/38	12/45	22/83	30/114	45/170	54/204	60/227	90/340
Certification	CE	CE	CE	CE	CE	CE	CE	CE	CE
Shape Size /cm	56*43*43	64*59*60	89*59*46	165*60*46	112*109*46	165*109*46	165*60*87	165*86*86	165*109*86
Packing Size /cm	59*50*50	78*66*67	103*66*53	179*67*53	126*116*53	179*116*53	179*67*94	179*93*93	179*116*93
Net Weight /kg	27	45	48	84	88	125	128	146	177
Gross Weight /kg	31	57	60	100	108	149	151	174	210





Combustible Liquid Safety Storage Cabinet



Model: SC8900401
Size: 89*59*46cm
Capacity: 12Gal
Weight: 48kg



Model: SC8903001
Size: 112*109*46cm
Capacity: 30Gal
Weight: 88kg



Model: SC8904501
Size: 165*109*46cm
Capacity: 45Gal
Weight: 125kg

Combustible Liquid Safety Storage Cabinet						
Model	SC8900401	SC8901201	SC8903001	SC8904501	SC8906001	SC8909001
Volume Gallon/Liter	4/15	12/45	30/114	45/170	60/227	90/340
Certification	CE	CE	CE	CE	CE	CE
Shape size/cm	56*43*43	89*56*46	112*109*46	165*109*46	165*86*86	165*109*86
Packing size/cm	59*50*50	103*66*53	126*116*53	179*116*53	179*93*93	179*116*93
Net weight/kg	27	48	88	125	146	177
Gross weight/kg	31	60	108	149	174	210

Weakly Corrosive Liquid Safety Storage Cabinet



Model: SC8900402
Size: 56*43*43cm
Capacity: 4Gal



Model: SC8902202
Size: 165*60*46cm
Capacity: 22Gal



Model: SC8904502
Size: 165*109*46cm
Capacity: 45Gal

Weakly Corrosive Liquid Safety Storage Cabinet							
Model	SC8900402	SC8901202	SC8902202	SC8903002	SC8904502	SC8906002	SC8909002
Volume Gallon/Liter	4/15	12/45	22/83	30/114	45/170	60/227	90/340
Certification	CE	CE	CE	CE	CE	CE	CE
Shape size/cm	56*43*43	89*56*46	165*60*46	112*109*46	165*109*46	165*86*86	165*109*86
Packing size/cm	59*50*50	103*66*53	179*67*53	126*116*53	179*116*53	179*93*93	179*116*93
Net weight/kg	27.5	49	86	90	127	148	179
Gross weight/kg	31.5	61	102	110	151	176	212





Toxic Chemicals Safety Storage Cabinet



Model: SC8901204
Size: 89*59*46cm
Capacity: 12Gal



Model: SC8903004
Size: 165*60*46cm
Capacity: 30Gal



Model: SC8904504
Size: 165*109*46cm
Capacity: 45Gal

Toxic Chemicals Safety Storage Cabinet				
Model	SC8901204	SC8902204	SC8903004	SC8904504
Volume Gallon/Liter	12/45	22/83	30/114	45/170
Certification	CE	CE	CE	CE
Shape size/cm	89*59*46	165*60*46	112*109*46	165*109*46
Packing size/cm	103*66*56	179*67*53	126*116*53	179*116*53
Net weight/kg	48	84	88	125
Gross weight/kg	60	100	108	149

Storage cabinet for highly corrosive chemicals (polyethylene)



Model: ACP7902200
Color: Blue



Capacity: 22GAL
Size: 89*91.4*59.2cm





SIWA®

To be safer and more valuable.

SCS

The following two cabinets can be used for the space under the platform and the space on the platform respectively, in order to effectively use the purpose of space security storage.



Model: SC8501200
Color: Yellow
Size: 46*109*46cm
Weight: 54.8kg/pcs
Materials: steel



Model: SC8501700
Color: Yellow
Size: 61*109*46cm
Weight: 63.5kg/pcs
Materials: steel

Combination lock safety cabinet



Model: SC8701200
Color: Yellow
Size: 89*59*46cm
Capacity: 12Gal
Weight: 48kg



Model: SC8702200
Color: Yellow
Size: 165*60*46cm
Capacity: 22Gal
Weight: 84kg



Model: SC8704500
Color: Yellow
Size: 165*109*46cm
Capacity: 45Gal
Weight: 125kg



Model: SC8701204
Color: White
Size: 89*59*46cm
Capacity: 12Gal
Weight: 48kg



Model: SC8702204
Color: White
Size: 165*60*46cm
Capacity: 22Gal
Weight: 84kg



Model: SC8704504
Color: White
Size: 165*109*46cm
Capacity: 45Gal
Weight: 125kg



More detail information visit: www.siwafety.com



Self-closed safety storage cabinet



Model	Color	Capacity/Gal	Certification	Number of Doors and style	Dimensions(H*W*D/cm)	Weight/Kg
SC8801200	Yellow	12	CE	1 door/self- close	89*59*46	48
SC8802200	Yellow	22	CE	1 door/self- close	165*60*46	84
SC8803000	Yellow	30	CE	2 door/self- close	112*109*46	88
SC8804500	Yellow	45	CE	2 door/self- close	165*109*46	125
SC8806000	Yellow	60	CE	2 door/self- close	165*86*86	146
SC8809000	Yellow	90	CE	2 door/self- close	165*109*86	177

Storage cabinets for weakly corrosive chemicals(PP)



Model: ACP89004
Color: White
Size: 59*46*43cm
Weight: 18kg/pcs
Materials: PP



Model: ACP89012
Color: White
Size: 89*59*46cm
Weight: 34kg/pcs
Materials: PP



Model: ACP89022
Color: White
Size: 89*90.5*46cm
Weight: 52kg/pcs
Materials: PP



Model: ACP89030
Color: White
Size: 112*109*46cm
Weight: 55kg/pcs
Materials: PP



Model: ACP89030
Color: White
Size: 180*109*46cm
Weight: 61kg/pcs
Materials: PP



Model: ACP88048
Color: White
Size: 180*109*46cm
Weight: 96kg/pcs
Materials: PP





Tray and Platform Series



PLP102



PLT102



PLT104

Polyethylene Leakage Platform


Model	PLP101	PLP102	PLP104
Number of 200L-barrel	1	2	4
Leakage volume Gallon/Liter	11/42	21/80	40/150
Weight/kg	22	17	32
Load-bearing/kg	600	1500	2500
Shape size/cm	15*68*68	15*130*68	15*130*130



Model:SLT302



Model:SLT304



Model:SLT314

Steel Leakage Tray

Model	SLT301	SLT302	SLT303	SLT304	SLT304H
Number of 200L-barrel	1	2	3	4	4
Leakage volume Gallon/Liter	54/205	54/207	56/211	55/210	55/210
Load-bearing/kg	1000	2000	2700	3500	3500
Shape size/cm	54*82*82	33*128*82	260*200.5*82	260*128*128	254.6*200.5*82





SPCC -- Spill Prevention, Containment & Control



SIWA Absorbent (pad, sock and pillow) with melt blown polypropylene (MBPP) features high absorption rate, rapid absorption, good cleaning effect, which don't react with polar, toxic, hazardous chemicals, and is safe to use, causing no harm to personal health. Waste disposal is low in cost, and clean-up of spilled liquid is simple.

Mobile spill kits, with a variety of absorbents combination to help you respond quickly to unexpected incidents. Wheelie bin helps you to send SIWA professional adsorbent materials to every corner of the factory, to respond to spills accident or sewage treatments in the factory, which is suitable for medium-scale spill.



White
Dedicated to the absorption of oil, instead of water



Yellow
Especially for absorbing acidic and corrosive liquids, or other unknown hazardous liquids (both oil and liquid)



Gray
Universal type, absorbing both oil and water

AM610021

AM610022

AM610023

Adsorption cotton sheet						
Part No.	Product	Color	Certification	Size/cm	Sold as per box	Absorbency PerGal/L
AM610021	Oil-Only Absorbent Pad	WHITE	CE	50*40*0.2	100 pads	16GAL/60L
AM610022	Hazmat Absorbent Pad	YELLOW	CE	50*40*0.2	100 pads	16GAL/60L
AM610023	Universal Absorbent Pad	GRAY	CE	50*40*0.2	100 pads	16GAL/60L





AM620011

AM620012

AM620013

Adsorption sliver						
Part No.	Product	Color	Certification	Size/cm	Sold as per box	Absorbency PerGal/L
AM620011	Oil-Only Absorbent Sock	WHITE	CE	7.6*120	12 socks	15GAL/57L
AM620012	Hazmat Absorbent Sock	YELLOW	CE	7.6*120	12 socks	15GAL/57L
AM620013	Universal Absorbent Sock	GRAY	CE	7.6*120	12 socks	15GAL/57L



AM640011

AM640012

AM640013

Absorbent cotton pillow						
Part No.	Product	Color	Certification	Size/cm	Sold as per box	Absorbency PerGal/L
AM640011	Oil-Only Absorbent Pillow	WHITE	CE	45*45*5	10 pillows	20GAL/75L
AM640012	Hazmat Absorbent Pillow	YELLOW	CE	45*45*5	10 pillows	20GAL/75L
AM640013	Universal Absorbent Pillow	GRAY	CE	45*45*5	10 pillows	20GAL/75L





SIWA[®]
To be safer and more valuable.

SPCC



AM630021



AM630022



AM6230023

Adsorption cotton roll						
Part No.	Product	Color	Certification	Size/cm	Sold as per box	Absorbency PerGal/L
AM630021	Oil-Only Absorbent Roll	WHITE	CE	5000*40	1 roll	32GAL/120L
AM630022	Hazmat Absorbent Roll	YELLOW	CE	5000*40	1 roll	32GAL/120L
AM630023	Universal Absorbent Roll	GRAY	CE	5000*40	1 roll	32GAL/120L



AM670011



AM670012



AM670013

Absorbent Boom						
Part No.	Product	Color	Certification	Size/cm	Sold as per box	Absorbency PerGal/L
AM670011	Oil-Only Absorbent Boom	WHITE	CE	5000*40	4 socks	24GAL/90L
AM670012	Hazmat Absorbent Boom	YELLOW	CE	5000*40	4 socks	24GAL/90L
AM670013	Universal Absorbent Boom	GRAY	CE	5000*40	4 socks	24GAL/90L



More detail information visit: www.siwasafety.com



SIWA[®]
To be safer and more valuable.

SPCC

Overpack Wheeled Salvage Drum(55Gal)



Part No	Product	Color	Certification	Capacity (Gal/L)	Size (H*D)
WSD550	Overpack Wheeled Salvage Drum(55Gal)	YELLOW	CE	55	115*71



LES552W



LES552Y



LES552G

Part No.	LES552W	LES552Y	LES552G
Product	55-Gallon Wheeled PolyOverpack Salvage Drum (Oil only)	55-Gallon Wheeled PolyOverpack Salvage Drum (Chemical only)	55-Gallon Wheeled PolyOverpack Salvage Drum (Universal)
Spill Capacity (Gal/L)	45/185		
Includes	1 pc 55-Gallon Wheeled PolyOverpack Salvage Drum 、 105 pcs 50cm×40cm absorbent pad、 14 pcs 7.6cm×120cm absorbent sock、 8 pcs 45cm×45cm absorbent pillow、 8hazamat disposal bags、 8 pcs rope、 1 pair of Rax-9202 safety goggles、 、 1 pair of safety gloves.		



More detail information visit: www.siwasafety.com



Overpack Salvage Drum without wheel (20Gal & 30Gal)



Model: PSD200
Capacity: 20Gal
Size: 61.9*57mm



Model: PSD300
Capacity: 30GAL
Size: 72*57mm

20 & 30 Gal-Drum Overpack Spill Kit without wheel



LES201W

LES201Y

LES201G

Part No.	Product	Spill capacity/Gal	Weight/kg	Includs
LES201W	20-Gallon PolyOverpack Salvage Drum (Oil only)	21.5/81	11.3	1 pc 20-gallon overpack salvage drum 25 pcs 50cm×40cm absorbent Pad, 6 pcs 7.6cm×120cm absorbent sock, 5 pcs
LES201Y	20-Gallon PolyOverpack Salvage Drum (chemical only)	21.5/81	11.3	45cm×45cm absorbent pillow, 3 pcs hazamat disposal bags, 3 pcs rope, 1 pc Ra×-9202 safety goggle, 1 pc safety gloves
LES201G	20-Gallon PolyOverpack Salvage Drum (Universal)	21.5/81	11.3	

Part No.	Product	Spill capacity/Gal	Weight/kg	Includs
LES301W	30-Gallon PolyOverpack Salvage Drum (Oil only)	30/113	15.8	1 pc 30-gallon overpack salvage drum 35 pcs 50cm×40cm absorbent Pad, 9 pcs 7.6cm×120cm absorbent sock, 7 pcs 45cm×45cm absorbent pillow, 4 pcs hazamat disposal bags, 4 pcs rope, 1 pc Ra×-9202 safety goggle, 1 pc safety gloves
LES301Y	30-Gallon PolyOverpack Salvage Drum (Chemical only)	30/113	15.8	
LES301G	30-Gallon PolyOverpack Salvage Drum (Universal)	30/113	15.8	



SIWA[®]

To be safer and more valuable.

SPCC

Overpack Wheeled Salvage Drum (20 Gal & 30 Gal)



Model: WSD200
Capacity: 20Gal
Size: 67.1*57



Model: WSD300
Capacity: 30Gal
Size: 77*57

Drum Overpack wheeled Spill Pit (20 Gal & 30 Gal)



LES202W



LES202Y



LES202G

Part No.	Product	Spill capacity/Gal	Weight/kg	Includes
LES202W	20-Gallon Wheeled PolyOverpack Salvage Drum (Oil only)	21.5/81	11.3	1 pc 20-gallon overpack salvage drum 25 pcs 50cm×40cm absorbent Pad, 6 pcs
LES202Y	20-Gallon Wheeled PolyOverpack Salvage Drum (chemical only)	21.5/81	11.3	7.6cm×120cm absorbent sock, 5 pcs 45cm×45cm absorbent pillow, 3 pcs hazamat disposal bags, 3 pcs rope, 1 pc Ra×-9202 safety goggle, 1 pc safety gloves
LES202G	20-Gallon Wheeled PolyOverpack Salvage Drum (Universal)	21.5/81	11.3	
Part No.	Product	Spill capacity/Gal	Weight/kg	Includes
LES302W	30-Gallon Wheeled PolyOverpack Salvage Drum (Oil only)	30/113	15.8	1 pc 30-gallon overpack salvage drum 35 pcs 50cm×40cm absorbent Pad, 9 pcs
LES302Y	30-Gallon Wheeled PolyOverpack Salvage Drum (Chemical only)	30/113	15.8	7.6cm×120cm absorbent sock, 7 pcs 45cm×45cm absorbent pillow, 4 pcs hazamat disposal bags, 4 pcs rope, 1 pc Ra×-9202 safety goggle, 1 pc safety gloves
LES302G	30-Gallon Wheeled PolyOverpack Salvage Drum (Universal)	30/113	15.8	



More detail information visit: www.siwasafety.com



Mobile Spill Kit

Mobile spill kits, with a variety of absorbents combination to help you respond quickly to unexpected incidents. Wheelie bin helps you to send SIWA professional adsorbent materials to every corner of the factory, to respond to spills accident or sewage treatments in the factory, which is suitable for medi-um-scale spill.



LES303W

LES303Y

LES303G

Part No.	LES303W	LES303Y	LES303G
Products	Mobile Spill Kit(Oil only)	Mobile Spill Kit(Chemical only)	Mobile Spill Kit(Universal only)
Spill capacity (Gal/L)	22.5/85		
Includes	1 pc 120L wheeled bin, 60 pcs 50cm×40cm absorbent pad, 6 pcs 7.6cm×120cm absorbent sock, 3 pcs 45cm×45cm absorbent pillow, 3 pcs hazamat disposal bags, 3 pcs rope, 1 pair of Rax-9202 safety goggles, 1 pair of safety gloves,		



SIWA®


To be safer and more valuable.

LSS


Drench Hose

Drench hose units are for deck mounting. Ideal for rinsing any part of user's eye, face or body. Under ANSI Z358.1-2014, drench hose units supplement, but do not replace, other types of emergency equipment.


- To meet the standard of Emergency Eyewash and Shower Equipment in ANSI Z358.1-2014 and AS4775-2007;
- Single or double spray head is optional, which has dust cover;
- Forged brass squeeze valve activated by plastic lever handle. Valve has replaceable stainless steel seat for exceptional durability. Valve closes when lever handle is released.
- 1.5m soft PVC tube wrapped by PE film relief from rust and leakage, and internal filter to remove impurities from the water flow.
- Spray heads provide even, continued and comfortable fluid to irrigate the eye;
- Eye wash exceeds minimum water flow of 0.4GPM(1.5LPM) at 210kPa (30psi);
- Deck flange for countertop mounting, flange has a position to fix the unit



EW71_KC6-1Y EW71_KC6-1R EW71_KC6Y EW71_KC6R



EW71_KC1-1Y EW71_KC1-1R EW71_KC1Y EW71_KC1R



EW71_KC2-1Y EW71_KC2-1R EW71_KC2Y EW71_KC2R



More detail information visit: www.siwasafety.com



Wall Mounted Eye/Face Wash

- Application: Eye/Face wash for wall mounting. The bowl guides waste water to drain and keeps floor clean
- Materials: AES plastic + 304 Stainless Steel
- AES plastic has weather resistance properties.
- With good acid-proof, Alkali prevention performances.
- Activated by push handle easily
- The coin slot hidden faucet aerator is easy to remove and clean
- Dust cover is removed once unit started
- Comply with ANSI Z358.1-2014 and AS 4775-2007



EW72_KC3-1R



EW72_KC3-2R



EW72_KC3-2Y



EW72_KC3-1Y

Pedestal Mounted Eye/Face Wash

- Application: Free standing, fixed on the ground when it is not
- Materials: AES plastic + 304 Stainless Steel
- With good acidproof, alkali prevention
- Be activated by push handle or foot pedal easily
- The coin slot hidden faucet aerator is easy to remove and clean
- Dust cover is removed once unit started
- Comply with ANSI Z358.1-2014 and AS 4775-2007


convenient for wall-mounting



EW73_KC3Y



EW73_KC3R



Dimensions chart



Combination Unit


- Application: Provide full-body relief from contamination fastly and effectively
- Materials: AES plastic + 304 Stainless Steel
- With good acid-proof ,alkali prevention performances.
- Pull rod with triangular handle is easy to operate for showers
- Equipped with flat washer in quick coupling to prevent leakage between joints and fitting
- Flow regulator is built in shower arm tube
- Activated by push handle or foot pedal easily
- The coin slot hidden faucet aerator is easy to remove and clean
- Dust cover is removed once unit started
- Comply with ANSI Z358.1-2014 and AS 4775-2007



EW74_KC4Y



EW74_KC4R




Dimensions chart

Model	Color	Flow Rate L/min	Inlet	Outlet	Weight/kg	Suggested pressure /bar	Package (L*W*H/cm)
EW74_KC4Y	Yellow	11.4	1" to ½"	1"	14	3-6bar	150*32*31.5
EW74_KC4R	Red	11.4	1" to ½"	1"	14	3-6bar	150*32*31.5



Cable Heating Emergency Shower

The unit can be used in -50°C . It consist of 304SS main pipe, heating cable, temperature controller, air safety layer, outer insulation layer and 304SS shell. Cable Heating Emergency Shower and Eyewash are manufactured ad per standard CE-DIN12899-UN19608. When the chemicals or toxic substances splash to the staff body, face, eye or fire to staff clothing. The unit can quickly bring harm to a minimum. The soft rubber protecting cup can avoid second hurt resulted by colliding eyes when use it urgently. Standards Licensed to the internationally recognised standard ANSI Z358. 12014 and are compliant with AS4775-2007 for Emergency Eyewash and Shower equipment.



EW75_KC18X

EW75_KC18Y


EW75_KC18R

Dimensions chart

Model	Color	Flow speed/ (L/min)	Inlet	Outlet	Weight/kg	Pressure/bar	Package (L*W*H/cm)
EW75_KC18X	Silver	Eye wash/10 Shower/80	1" to 1/2"	3.33cm	48	3-6bar	230*70*30
EW75_KC18Y	Yellow	Eyewash/10 Shower/80	1" to 1/2"	3.33cm	48	3-6bar	230*70*30
EW75_KC18R	Red	Eyewash/10 Shower/80	1" to 1/2"	3.33cm	48	3-6bar	230*70*30



ZheJiang World Safety Technology Co., Ltd.

 400-0717-370

 www.siwasafety.com

 Taizhou, Zhejiang, China

 vkberlin@163.com

 cathyberlin@163.com